

09/196 013

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	78	francis near nguyen	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:12
2	BRS	L2	0	"09/196,013"	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:13
3	BRS	L3	2753	(345/87-89).ccls.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:13

	Type	L #	Hits	Search Text	DBs	Time Stamp
4	BRS	L4	660	(345/204).cccls.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:14
5	BRS	L5	995	(349/33).cccls.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:20
6	BRS	L6	4318	3 or 4 or 5	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:20

	Type	L #	Hits	Search Text	DBs	Time Stamp
7	BRS	L7	101	maximum near ( driving near voltage)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:23
8	BRS	L8	1	maximal near ( driving near voltage)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:24
9	BRS	L10	547	rgb and transmittance	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:25

	Type	L #	Hits	Search Text	DBs	Time Stamp
10	BRS	L11	1	7 and 10	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:35
11	BRS	L12	18710	voltage near max\$5	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:37
12	BRS	L13	178804	lcd or "liquid crystal display"	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:38

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L14	11	10 and 12 and 13	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:38

	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
1	US 20010005253 A1		14	Liquid crystal display		
2	US 6144373 A	20001107		Picture display device and method of driving picture display device	345/204	345/211 ; 345/58 ; 345/89 ; 345/96
3	US 6137560 A	20001024		Active matrix type liquid crystal display apparatus with light source	349/181	349/141 ; 349/61
4	US 6046790 A	20000404		color compensation LCD device having relationship between spontaneous polarization and capacitance	349/172	349/174 ; 349/33 ; 349/38
5	US 6014195 A	20000111		LCD device with polarizers having polarizing and transmittance	349/96	349/113 ; 349/80
6	US 5995186 A	19991130		characteristics Parallel field liquid crystal display with substantially straight data and common electrodes inclined at an angle to a gate line	349/141	349/128 ; 349/139
7	US 5917466 A	19990629		Matrix liquid crystal display using liquid crystal hysteresis	345/100	345/208 ; 345/94
8	US 5831586 A	19981103		characteristics for still picture display Method of driving a picture display device	345/94	345/100 ; 345/208 ; 345/96 ; 345/98

	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
9	US 5734364 A	19980331		Method of driving a picture display device	345/95	345/100 ; 345/96
10	US 5621479 A	19970415		Method of driving a liquid crystal display device	348/648	348/647 ; 348/791
11	US 5089810 A	19920218		Stacked display panel construction and method of making same	345/88	345/208 - ; 345/212 ; 345/590 ; 349/34 ; 349/6 ; 349/78

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	8477	(set or arrang\$3) near independently	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:50
2	BRS	L2	18710	voltage near max\$5	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:54
3	BRS	L3	101	maximum near ( driving near voltage)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:55
4	BRS	L4	0	1 and 2 and 3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:55



	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	8477	(set or arrang\$3) near independently	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:50
2	BRS	L2	18710	voltage near max\$5	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:54
3	BRS	L3	101	maximum near ( driving near voltage)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:55
4	BRS	L4	0	1 and 2 and 3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/08/26 08:55